

Thermodynamic evaluation of a pharmaceutical synthesis step in a batch and continuous reactor

Authors:

Geert Van der Vorst^a, Herman Van Langenhove^a, Olivier Rasker^a, Wim Aelterman^b, Benny Goossens^b, Jo Dewulf^a

^a Research Group ENVOC, Ghent University, Coupure Links 653, Ghent, B-9000, Belgium.

^b Johnson & Johnson PRD, Janssen Pharmaceutica nv, Turnhoutseweg 30, Beerse, 2340, Belgium

Abstract

In the fine chemical and pharmaceutical industry, there is a tendency to replace batch production processes by continuous production processes. Using continuous reactors has different advantages. Most known advantages are the increased surface-to-volume ratios leading to lower cooling and heating power requirements. The better control of heat transfer can also result in higher efficiencies of chemical conversions. These advantages should directly lead to a decrease in the total resource requirements. However few thorough quantitative information is available on how much resources are saved by using continuous production processes instead of the batch alternatives¹.

In this work a thorough comparison is made of a specific synthesis step from the pharmaceutical company Janssen Pharmaceutica Belgium, part of Johnson & Johnson using the batch and the continuous process. Exergetic life cycle analysis as used in Van der Vorst et al. (2009)² is used for the evaluation of both production processes. First the resource requirements at the process level are taken into account. Second, all resource requirements over the plant level, including the production of utilities and the waste treatment are taken into account. Third, the resource requirement over the overall industrial network is evaluated (cradle-to-gate) and compared for both alternative production methods. This study also illustrates the possibility, the advantages and the impact of quantifying both energy and material resource intake for chemical processes. Exergy analysis and the CEENE method are here the unique scientifically sound tools enabling the quantification all kinds of resources and products on the same scale and to take into account all the resources for a proper evaluation³.

Acknowledgement

The authors acknowledge the financial support of the Institute for the Promotion of Innovation through Science and Technology in Flanders.

References

1. G. Van der Vorst, H. Van Langenhove, O. Rasker, W. Aelterman, B. Goossens and J. Dewulf, 2010, *in preparation*.
2. G. Van der Vorst, H. Van Langenhove, F. De Paep, W. Aelterman, J. Dingenen and J. Dewulf, *Green Chemistry*, 2009, 11, 1007-1012.
3. J. Dewulf, M. E. Bosch, B. De Meester, G. Van der Vorst, H. Van Langenhove, S. Hellweg and M. A. J. Huijbregts, *Environ. Sci. Technol.*, 2007, **41**, 8477-8483.